

OFFICE

STATUS (10/26/56)

DCI	Unit is operative. Cryptomaterial will be issued.
DDCI	Unit is operative. Cryptomaterial has been issued.
IG	Unit is operative. Cryptomaterial being issued 10/26/56.
(NIC	Unit has been delivered but is not connected. Cryptomaterial will be issued when operating personnel have been cryptocleared and instructed in KY-1 operation.
DDP	Unit is operative. Cryptomaterial will be issued when operating personnel have been cryptocleared and trained.
COPS	Unit has not been delivered.
A/DD/P/P	Unit has not been delivered.
FE	Unit will be delivered in near future and cryptomaterial will be issued when personnel are cryptocleared and trained.
EE	Unit has not been delivered.
WE	Unit has not been delivered.
WH	Unit has not been delivered.
NEA	Unit has not been delivered.
IO	Unit has been delivered but is not operative.

DI		Unit is operative. Cryptomaterial will be issued when personnel are cryptocleared and trained.
AD/CI		Unit has been delivered but is not operative.
AD/PT	X	Unit has not been delivered.
DDS		Unit is operative. Cryptomaterial has been issued.
DIR/SEC		Unit will be delivered in near future and cryptomaterial will be issued when personnel are cryptocleared and trained.
DIR/LOG	X	Unit is in place but will be removed for relocation to another office.
COMPTROLLER		Unit is operative and has cryptomaterial.
DIR/COMMO	X	Unit is operative and has cryptomaterial.
AD/SI		Unit will be delivered in near future and cryptomaterial will be issued when personnel are cryptocleared and trained.
SIGNAL CENTER		Unit is operative and cryptomaterial has been issued.

5 more lines  
1 w/ Gen Mac

CONFIDENTIAL

FB 7-1257

23 September 1955

## MEMORANDUM FOR DEPUTY DIRECTOR OF CENTRAL INTELLIGENCE:

1. It is recommended that telephones, type 801, be installed in the following offices:

DCI	217 Adm		
DDCI	203 Adm	with extension to RA/DCI	223 Adm
IG	231 Adm	with extension to RA/PC	325 Adm
NIC	BC956 Pentagon		
DEP	1046 L		
CCP8	1038 L		
A/ID/P/P	2038 L	with extension to adj. room, swb to SIA/ID/S,C/PTC	
FE	2016 J	with extension to adj. room, swb to SE	
KE	2004 K		
WE	1010 J	with extension to adj. room, swb to SE	
WN	1317 Barton	with extension to adj. room, swb to AD/BI	
MEA	1004 I		
DO			
DEI	354 Adm		
AD/CI	2111 Q	with extension to adj. room, swb to Watch O.	
AC/DA	1109 M	with extension to adj. room, swb to AD/CD	
IRG	124 East		
Dir/Sec	2060 I	with extension to adj. room, swb. to Dir/Comm	
Dir/Log	1050 Qtrs Eye	with extension to adj. room, swb to AD/CO	
Compt.	1039 Aleott		

2. The first two units have been installed in DEB and Dir/COMM for testing purposes. It is recommended that the next two units, scheduled to be received about 1 October, be installed in DDCI and DEP offices. Remainder, as received, to be installed as in 1 above, with Dir/COMM set to be moved to Dir/Security Office.

/s/

Assistant to the Director

STATINTL

STATINTL

C/DCI/ [redacted] :ji

## Distribution:

- 1 - DCI
- 1 - DD/P
- 1 - DD/S
- 1 - Dir/ [redacted]
- 1 - DDCI
- 1 - ER
- 1 - VML Chrono

STATINTL

Document No.	602
No Change in Class:	<input checked="" type="checkbox"/>
<input type="checkbox"/> Declassified	
Class. Changed to:	TS S C 1985
Next Review Date:	
Auth:	NR 70-3
Date:	JAN 10 1985

CONFIDENTIAL

013

~~CONFIDENTIAL~~

... of type and telephones:

STATINTL

STATINTL

SA/DP/P  
Deputy Director (Plans)

STATINTL

SA/DP/I  
Deputy Director (Intelligence)

STATINTL

SA/DP/S  
Deputy Director (Support)

APPROVED:

SIGNED -- 23 Sept 1955  
Deputy Director of Central Intelligence

~~CONFIDENTIAL~~

**BEST COPY**